

Audit log for job 1792006860 \"1test2611201000\"
Log saved 02.09.2020 19:14:57

```
26.08.2020 16:06:17 => [JobName=1test2611201000] [aJobNam=1test2611201000]
[Host=C:\Xitron\Navigator\SW\PageBuffers\pd_tilff] [DelDelay=-1] [InpStat=1]
[RIPCProf=StandardSWOP-Rel.icm] [MOPagePosition=2] [Approve=]
26.08.2020 16:06:17 Open Connect: Opening Tiff File: C:\Xitron\Navigator\SW\
PageBuffers\pd_tilff\1test2611201000.TIF
26.08.2020 16:06:17      => FF2^F1 [Sheet=1] [Front=1] [SigType=0] [Type=2]
26.08.2020 16:06:17 File FF2^F1 added to job
26.08.2020 16:06:17      => FS0^F1^0^Gray [Sheet=1] [Front=1] [Type=0]
[SigType=0] [RIPPolarity=0] [Page=1] [Plane=Gray] [InpStat=1] [HlftnType=5]
[IWidth=56700] [IHeight=42501] [XRes=2400] [BitsPix=1]
[PageID=1test2611201000.1792006860.1]
26.08.2020 16:06:17 File FS0^F1^2^Gray added to job
26.08.2020 16:06:17 => [CIP3Mx=3]
26.08.2020 16:06:17 Using Compression Type: 514
26.08.2020 16:06:17 Open Connect: Import File With Thumbnail Generation
26.08.2020 16:06:17 Open Connect: Create Local Tag Parameters
26.08.2020 16:06:17 SET Parameter MOTakeMargin.Top = 10.000000
26.08.2020 16:06:17 SET Parameter MOPageMargin.Top = 50.000000
26.08.2020 16:06:17 SET Parameter MOPagePosition = 2
26.08.2020 16:06:17 SET Parameter MOTakeMargin.Right = 10.000000
26.08.2020 16:06:17 SET Parameter MOTakeMargin.Left = 10.000000
26.08.2020 16:06:17 SET Parameter MOPageMargin.Right = 10.000000
26.08.2020 16:06:17 SET Parameter MOPageMargin.Left = 10.000000
26.08.2020 16:06:17 SET Parameter MOTakeMargin.Bottom = 10.000000
26.08.2020 16:06:17 SET Parameter MOPageMargin.Bottom = 50.000000
26.08.2020 16:06:17 SET Parameter MOAcrossJobGanging = 1
26.08.2020 16:06:17      => FS0^F1^2^Gray [FileSize=114] [InpStat=2] [Changes=1]
26.08.2020 16:06:17 Open Connect: Add Image File Successful
26.08.2020 16:06:17 Open Connect: Imported File: 1test2611201000.TIF
Successfully
26.08.2020 16:06:32 Open Connect: Imported Job: 1test2611201000 Successfully
26.08.2020 16:06:32 => [Changes=1] [InpStat=2] [InpEnd=-519078104]
26.08.2020 16:08:30 => [Approve=Администратор]
26.08.2020 16:08:30 Администратор initiated imaging of 1 copies of job
26.08.2020 16:09:45 START JOB imaging to 'Avantra' with media 'Glanez'
26.08.2020 16:09:45      START MEDIA 'Cassette B': [Sheet 1 FRONT 'Gray' Copy:
1]
26.08.2020 16:09:45      Media preparation deferred due to GANGING.
26.08.2020 16:09:45      END MEDIA 'Cassette B': [Sheet 1 FRONT 'Gray' Copy: 1]
26.08.2020 16:09:49      START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
26.08.2020 16:09:49      SET Parameter 'Resolution' = '[2400,00 2400,00]'
26.08.2020 16:09:49      SET Parameter 'AutoCentering' = '0'
26.08.2020 16:09:49      SET Parameter 'ImageMirroring' = '1'
26.08.2020 16:09:49      SET Parameter 'PunchMode' = '[0 0]'
26.08.2020 16:09:49      SET Parameter 'ImagePolarity' = '0'
26.08.2020 16:09:49      SET Parameter 'MOPagePosition' = '2'
26.08.2020 16:09:49      SET Parameter 'MOAcrossJobGanging' = '1'
26.08.2020 16:09:49      SET Parameter 'MOPageMargin.Left' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOPageMargin.Right' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOPageMargin.Top' = '50,000000'
26.08.2020 16:09:49      SET Parameter 'MOPageMargin.Bottom' = '50,000000'
26.08.2020 16:09:49      SET Parameter 'MOTakeMargin.Left' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOTakeMargin.Right' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOTakeMargin.Top' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
26.08.2020 16:09:49      SET Parameter 'MOVirtualCassette' = '1'
26.08.2020 16:09:49      SET Parameter '_PlateImagingMode' = '0'
26.08.2020 16:12:13 ERROR: Device error during imaging.
26.08.2020 16:12:16      END IMAGING: Sheet 1 FRONT 'Gray' Copy 1, in error
26.08.2020 16:12:16      SET Parameter '_Density' = '[<< 1200 1229 1800
1430 2400 1070 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'
```

```

26.08.2020 16:13:46 END JOB imaging to 'Avantra', in error. Total Media Used:
6,601 in. / 16,767 cm.
26.08.2020 16:41:07 Администратор initiated imaging of 1 copies of job
26.08.2020 16:41:16 START JOB imaging to 'Avantra' with media 'Glyanec 1'
26.08.2020 16:41:16 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
26.08.2020 16:41:16 Media preparation deferred due to GANGING.
26.08.2020 16:41:16 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
26.08.2020 16:41:17 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
26.08.2020 16:41:18 SET Parameter 'Resolution' = '[2400,00 2400,00]'
26.08.2020 16:41:18 SET Parameter 'AutoCentering' = '0'
26.08.2020 16:41:18 SET Parameter 'ImageMirroring' = '1'
26.08.2020 16:41:18 SET Parameter 'PunchMode' = '[0 0]'
26.08.2020 16:41:18 SET Parameter 'ImagePolarity' = '0'
26.08.2020 16:41:18 SET Parameter 'MOPagePosition' = '2'
26.08.2020 16:41:18 SET Parameter 'MOAcrossJobGanging' = '1'
26.08.2020 16:41:18 SET Parameter 'MOPageMargin.Left' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOPageMargin.Right' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOPageMargin.Top' = '50,000000'
26.08.2020 16:41:18 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
26.08.2020 16:41:18 SET Parameter 'MOTakeMargin.Left' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOTakeMargin.Right' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOTakeMargin.Top' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
26.08.2020 16:41:18 SET Parameter 'MOVirtualCassette' = '1'
26.08.2020 16:41:18 SET Parameter '_PlateImagingMode' = '0'
26.08.2020 16:48:29 ERROR: Device error during imaging.
26.08.2020 16:48:29 END IMAGING: Sheet 1 FRONT 'Gray' Copy: 1, job
cancelled
26.08.2020 16:48:32 SET Parameter '_Density' = ' [< 1200 1229 1800
1430 2400 1070 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'
26.08.2020 16:48:32 END JOB imaging to 'Avantra', job cancelled. Total Media
Used: 6,601 in. / 16,767 cm.
26.08.2020 16:50:22 Администратор initiated imaging of 1 copies of job
26.08.2020 16:50:34 START JOB imaging to 'Avantra' with media 'Glyanec 1'
26.08.2020 16:50:34 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
26.08.2020 16:50:34 Media preparation deferred due to GANGING.
26.08.2020 16:50:34 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
26.08.2020 16:50:35 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
26.08.2020 16:50:35 SET Parameter 'Resolution' = '[2400,00 2400,00]'
26.08.2020 16:50:35 SET Parameter 'AutoCentering' = '0'
26.08.2020 16:50:35 SET Parameter 'ImageMirroring' = '1'
26.08.2020 16:50:35 SET Parameter 'PunchMode' = '[0 0]'
26.08.2020 16:50:35 SET Parameter 'ImagePolarity' = '0'
26.08.2020 16:50:35 SET Parameter 'MOPagePosition' = '2'
26.08.2020 16:50:35 SET Parameter 'MOAcrossJobGanging' = '1'
26.08.2020 16:50:35 SET Parameter 'MOPageMargin.Left' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOPageMargin.Right' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOPageMargin.Top' = '50,000000'
26.08.2020 16:50:35 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
26.08.2020 16:50:35 SET Parameter 'MOTakeMargin.Left' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOTakeMargin.Right' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOTakeMargin.Top' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
26.08.2020 16:50:35 SET Parameter 'MOVirtualCassette' = '1'
26.08.2020 16:50:35 SET Parameter '_PlateImagingMode' = '0'
02.09.2020 17:11:30 Администратор initiated imaging of 1 copies of job
02.09.2020 17:11:43 START JOB imaging to 'Avantra' with media 'Glyanec 1'
02.09.2020 17:11:43 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
02.09.2020 17:11:43 Media preparation deferred due to GANGING.
02.09.2020 17:11:43 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
02.09.2020 17:11:44 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1

```

```

02.09.2020 17:11:44 SET Parameter 'Resolution' = '[2400,00 2400,00]'
02.09.2020 17:11:44 SET Parameter 'AutoCentering' = '0'
02.09.2020 17:11:44 SET Parameter 'ImageMirroring' = '1'
02.09.2020 17:11:44 SET Parameter 'PunchMode' = '[0 0]'
02.09.2020 17:11:44 SET Parameter 'ImagePolarity' = '0'
02.09.2020 17:11:44 SET Parameter 'MOPagePosition' = '2'
02.09.2020 17:11:44 SET Parameter 'MOAcrossJobGanging' = '1'
02.09.2020 17:11:44 SET Parameter 'MOPageMargin.Left' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOPageMargin.Right' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOPageMargin.Top' = '50,000000'
02.09.2020 17:11:44 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
02.09.2020 17:11:44 SET Parameter 'MOTakeMargin.Left' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOTakeMargin.Right' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOTakeMargin.Top' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
02.09.2020 17:11:44 SET Parameter 'MOVirtualCassette' = '1'
02.09.2020 17:11:44 SET Parameter '_PlateImagingMode' = '0'
02.09.2020 17:18:59 Администратор initiated imaging of 1 copies of job
02.09.2020 17:19:51 ERROR: Device error during imaging.
02.09.2020 17:19:51 END IMAGING: Sheet 1 FRONT 'Gray' Copy 1, in error
02.09.2020 17:19:54 SET Parameter '_Density' = '[<< 1200 1229 1800
1430 2400 1070 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'
02.09.2020 17:23:51 END JOB imaging to 'Avantra', in error. Total Media Used:
8,574 in. / 21,779 cm.
02.09.2020 17:49:51 Администратор initiated imaging of 1 copies of job
02.09.2020 17:50:18 START JOB imaging to 'Avantra' with media 'Glyanec 1'
02.09.2020 17:50:18 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
02.09.2020 17:50:18 Media preparation deferred due to GANGING.
02.09.2020 17:50:18 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
02.09.2020 17:50:31 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
02.09.2020 17:50:31 SET Parameter 'Resolution' = '[2400,00 2400,00]'
02.09.2020 17:50:31 SET Parameter 'AutoCentering' = '0'
02.09.2020 17:50:31 SET Parameter 'ImageMirroring' = '1'
02.09.2020 17:50:31 SET Parameter 'PunchMode' = '[0 0]'
02.09.2020 17:50:31 SET Parameter 'ImagePolarity' = '0'
02.09.2020 17:50:31 SET Parameter 'MOPagePosition' = '2'
02.09.2020 17:50:31 SET Parameter 'MOAcrossJobGanging' = '1'
02.09.2020 17:50:31 SET Parameter 'MOPageMargin.Left' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOPageMargin.Right' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOPageMargin.Top' = '50,000000'
02.09.2020 17:50:31 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
02.09.2020 17:50:31 SET Parameter 'MOTakeMargin.Left' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOTakeMargin.Right' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOTakeMargin.Top' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
02.09.2020 17:50:31 SET Parameter 'MOVirtualCassette' = '1'
02.09.2020 17:50:31 SET Parameter '_PlateImagingMode' = '0'
02.09.2020 17:58:38 ERROR: Device error during imaging.
02.09.2020 17:58:38 END IMAGING: Sheet 1 FRONT 'Gray' Copy 1, in error
02.09.2020 17:58:38 SET Parameter '_Density' = '[<< 1200 1229 1800
1430 2400 1080 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'
02.09.2020 17:59:24 END JOB imaging to 'Avantra', in error. Total Media Used:
8,574 in. / 21,779 cm.
02.09.2020 18:01:58 Администратор initiated imaging of 1 copies of job
02.09.2020 18:02:17 START JOB imaging to 'Avantra' with media 'Glyanec 1'
02.09.2020 18:02:17 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
02.09.2020 18:02:17 Media preparation deferred due to GANGING.
02.09.2020 18:02:17 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
02.09.2020 18:02:18 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
02.09.2020 18:02:18 SET Parameter 'Resolution' = '[2400,00 2400,00]'
02.09.2020 18:02:18 SET Parameter 'AutoCentering' = '0'
02.09.2020 18:02:18 SET Parameter 'ImageMirroring' = '1'

```

```

02.09.2020 18:02:18 SET Parameter 'PunchMode' = '[0 0]'
02.09.2020 18:02:18 SET Parameter 'ImagePolarity' = '0'
02.09.2020 18:02:18 SET Parameter 'MOPagePosition' = '2'
02.09.2020 18:02:18 SET Parameter 'MOAcrossJobGanging' = '1'
02.09.2020 18:02:18 SET Parameter 'MOPageMargin.Left' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOPageMargin.Right' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOPageMargin.Top' = '50,000000'
02.09.2020 18:02:18 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
02.09.2020 18:02:18 SET Parameter 'MOTakeMargin.Left' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOTakeMargin.Right' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOTakeMargin.Top' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
02.09.2020 18:02:18 SET Parameter 'MOVirtualCassette' = '1'
02.09.2020 18:02:18 SET Parameter '_PlateImagingMode' = '0'
02.09.2020 18:07:34 ERROR: Device error during imaging.
02.09.2020 18:07:34 END IMAGING: Sheet 1 FRONT 'Gray' Copy 1, in error
02.09.2020 18:07:34 SET Parameter '_Density' = '[<< 1200 1229 1800
1430 2400 1000 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'
02.09.2020 18:07:34 END JOB imaging to 'Avantra', in error. Total Media Used:
8,574 in. / 21,779 cm.
02.09.2020 19:01:08 Администратор initiated imaging of 1 copies of job
02.09.2020 19:01:25 START JOB imaging to 'Avantra' with media 'Glyanec 1'
02.09.2020 19:01:25 START MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy:
1]
02.09.2020 19:01:25 Media preparation deferred due to GANGING.
02.09.2020 19:01:25 END MEDIA 'Cassette A': [Sheet 1 FRONT 'Gray' Copy: 1]
02.09.2020 19:01:26 START IMAGING: Sheet 1 FRONT 'Gray' Copy: 1
02.09.2020 19:01:26 SET Parameter 'Resolution' = '[2400,00 2400,00]'
02.09.2020 19:01:26 SET Parameter 'AutoCentering' = '0'
02.09.2020 19:01:26 SET Parameter 'ImageMirroring' = '1'
02.09.2020 19:01:26 SET Parameter 'PunchMode' = '[0 0]'
02.09.2020 19:01:26 SET Parameter 'ImagePolarity' = '0'
02.09.2020 19:01:26 SET Parameter 'MOPagePosition' = '2'
02.09.2020 19:01:26 SET Parameter 'MOAcrossJobGanging' = '1'
02.09.2020 19:01:26 SET Parameter 'MOPageMargin.Left' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOPageMargin.Right' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOPageMargin.Top' = '50,000000'
02.09.2020 19:01:26 SET Parameter 'MOPageMargin.Bottom' = '50,000000'
02.09.2020 19:01:26 SET Parameter 'MOTakeMargin.Left' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOTakeMargin.Right' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOTakeMargin.Top' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOTakeMargin.Bottom' = '10,000000'
02.09.2020 19:01:26 SET Parameter 'MOVirtualCassette' = '1'
02.09.2020 19:01:26 SET Parameter '_PlateImagingMode' = '0'
02.09.2020 19:09:34 ERROR: Device error during imaging.
02.09.2020 19:09:34 END IMAGING: Sheet 1 FRONT 'Gray' Copy 1, in error
02.09.2020 19:09:37 SET Parameter '_Density' = '[<< 1200 1229 1800
1430 2400 1000 3600 900 >><< 1200 1229 1800 1430 2400 1070 3600 900 >>]'

```